

# Veritas eDiscovery Platform™

## Upgrade Guide

10.0

VERITAS

# Veritas eDiscovery Platform™: Upgrade Guide

The software described in this book is furnished under a license agreement and may be used only in accordance with the terms of the agreement.

Last updated: 2021-07-26

## Legal Notice

Copyright © 2021 Veritas Technologies LLC. All rights reserved.

Veritas and the Veritas Logo are trademarks or registered trademarks of Veritas Technologies LLC or its affiliates in the U.S. and other countries. Other names may be trademarks of their respective owners.

This product may contain third-party software for which Veritas is required to provide attribution to the third party ("Third-Party Programs"). Some of the Third-Party Programs are available under open source or free software licenses. The License Agreement accompanying the Software does not alter any rights or obligations you may have under those open source or free software licenses. Refer to the Third-Party legal notices for this product at: <https://www.veritas.com/about/legal/license-agreements>

The product described in this document is distributed under licenses restricting its use, copying, distribution, and decompilation/reverse engineering. No part of this document may be reproduced in any form by any means without prior written authorization of Veritas Technologies LLC and its licensors, if any.

THE DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID. VERITAS TECHNOLOGIES LLC SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES IN CONNECTION WITH THE FURNISHING, PERFORMANCE, OR USE OF THIS DOCUMENTATION. THE INFORMATION CONTAINED IN THIS DOCUMENTATION IS SUBJECT TO CHANGE WITHOUT NOTICE.

The Licensed Software and Documentation are deemed to be commercial computer software as defined in FAR 12.212 and subject to restricted rights as defined in FAR Section 52.227-19 "Commercial Computer Software - Restricted Rights" and DFARS 227.7202, et seq. "Commercial Computer Software and Commercial Computer Software Documentation," as applicable, and any successor regulations, whether delivered by Veritas as on premises or hosted services. Any use, modification, reproduction release, performance, display or disclosure of the Licensed Software and Documentation by the U.S. Government shall be solely in accordance with the terms of this Agreement.

Veritas Technologies LLC  
2625 Augustine Dr  
Santa Clara, CA 95054  
<http://www.veritas.com>

# Contents

|           |  |    |
|-----------|--|----|
| Chapter 1 | Preface .....  | 5  |
|           | About this guide.....  | 5  |
|           | Product documentation .....  | 5  |
|           | Technical Support .....  | 8  |
|           | Documentation .....  | 8  |
|           | Documentation Feedback .....   | 8  |
| Chapter 2 | Overview .....   | 11 |
|           | Installation Basics.....   | 11 |
| Chapter 3 | Upgrade Pre-Installation Steps .....   | 13 |
|           | Upgrade Prerequisites .....  | 13 |
|           | Machine Configuration .....  | 13 |
|           | Hardware Compatibility.....  | 14 |
|           | Operating System.....  | 18 |
|           | Plan for Appropriate Down Time.....  | 18 |
|           | Software Requirement.....  | 18 |
|           | SSL Configuration Details.....   | 18 |
|           | Upgrade Prerequisite Checklist .....   | 19 |
|           | Download 10.0 Software .....   | 20 |
|           | Read Upgrade Overview Guide .....  | 21 |
|           | Read Imaging Tool Upgrade Guide .....  | 21 |
|           | Check for De-Duplication Implications .....                                      | 21 |
|           | Verify that the Veritas eDiscovery Platform Product Version is Upgradeable ..... | 22 |
|           | Verify Windows Service Settings.....   | 23 |
|           | User Account for Upgrade Installer .....   | 23 |
|           | Verify Windows Firewall Settings.....  | 28 |
|           | Verify eDiscovery Platform Cases Before the Upgrade .....                        | 28 |
|           | Cleanup Veritas eDiscovery Platform Jobs.....                                    | 28 |
|           | Verify System Time Zone Settings.....  | 29 |
|           | Verify Scheduled Tasks.....  | 29 |
|           | Close Windows Explorer and all Remote Login Sessions .....                       | 30 |
|           | Check Microsoft Office Version and Activation Status .....                       | 30 |
|           | Veritas Enterprise Vault API Runtime .....                                       | 31 |
|           | Perform Full Node Backups on All Appliances.....                                 | 31 |
|           | Perform Windows Updates .....  | 33 |

|                  |   |           |
|------------------|---|-----------|
|                  | Verify Appliance Hardware .....   | 33        |
| <b>Chapter 4</b> | <b>Upgrade Installation Steps .....</b>   | <b>34</b> |
|                  | Cluster Considerations .....  | 34        |
|                  | Veritas eDiscovery Platform Product Installation/Upgrade Instructions .....       | 35        |
|                  | (Optional) Setting Up Your System for Audio Processing .....                      | 51        |
|                  | Setting Up Your System: Server-Side .....   | 52        |
|                  | 10.0 Installation Verification and Log Files Review .....                         | 55        |
| <b>Chapter 5</b> | <b>Upgrade Post-Installation Steps.....</b>                                       | <b>57</b> |
|                  | Post-upgrade Checklist .....  | 57        |
|                  | Post-Upgrade Installation Steps .....   | 59        |
|                  | Validate Install.....   | 59        |
|                  | Activate Microsoft Office Professional Plus 2013.....                             | 59        |
|                  | Validate if Outlook is enabled to connect to Office® 365 using<br>MAPI/HTTP ..... | 61        |
|                  | Apply the Latest 10.0 Patch (if applicable) .....                                 | 61        |
|                  | Verify the Veritas eDiscovery Platform License .....                              | 62        |
|                  | Verify Veritas eDiscovery Platform Services .....                                 | 62        |
|                  | Verify System Settings .....  | 63        |
|                  | Verify Security Settings .....  | 63        |
|                  | Verify Indexing Settings .....  | 65        |
|                  | Verify Custom Logo Settings .....   | 65        |
|                  | Verify Configuration Settings .....   | 66        |
|                  | Verify Firewall Settings .....  | 66        |
|                  | Reconfigure LDAP authentication after upgrade .....                               | 66        |
|                  | Reconfigure Full Node Scheduled Backup Tasks .....                                | 67        |
|                  | Update Virus Scanning Software (if applicable).....                               | 67        |
|                  | Disable Adobe Automatic Updates.....  | 69        |
|                  | Verify Clearwell Utility.....   | 69        |
|                  | Clear Browser Cache.....  | 70        |
|                  | Configure Browser Cache Security .....  | 70        |
|                  | Verify Veritas eDiscovery Platform Cases .....                                    | 71        |
|                  | Verify Controlled Prediction Accuracy Test Data .....                             | 71        |
|                  | Associating Legal Holds and Collections with 10.0-Upgraded Cases .....            | 71        |
|                  | Verify Post-Processing Success on all Cases.....                                  | 72        |
|                  | Update checksum for emails.....   | 72        |
|                  | Index Repair .....  | 73        |
|                  | OST to PST Conversion Libraries .....   | 74        |
|                  | Perform Imaging Tool Upgrade.....   | 74        |

## Preface

### About this guide

This document provides detailed step-by-step installation and configuration instructions for successfully upgrading and setting up the Veritas eDiscovery Platform application. This guide assumes the reader is comfortable performing common system operations and is familiar with the Windows operating system. Before upgrading your system, be sure to read the Veritas eDiscovery Platform Upgrade Overview Guide to familiarize yourself with the changes in the release. If you are installing the Veritas eDiscovery Platform application on a machine for the first time, please read and follow the instructions outlined in the *Veritas eDiscovery Platform Installation Guide*.

### Product documentation

The table below lists the end-user documentation that is available for the Veritas eDiscovery Platform product.

#### *Veritas eDiscovery Platform Documentation*

| Document                              | Comments   |
|---------------------------------------|--|
| <b>Installation and Configuration</b> |  |
| Installation Guide                    | Describes prerequisites, and how to perform a full install of the Veritas eDiscovery Platform application                |
| Upgrade Overview Guide                | Provides critical upgrade information, by version, useful prior to upgrading an appliance to the current product release |

| Document                                  | Comments   |
|---|--|
| Upgrade Guide                             | Describes prerequisites and upgrade information for the current customers with a previous version of Veritas eDiscovery Platform   |
| Utility Node Guide                        | For customers using utility nodes, describes how to install and configure appliances as utility nodes for use with an existing Veritas eDiscovery Platform setup   |
| Distributed Architecture Deployment Guide | Provides installation and configuration information for the Review and Processing Scalability feature in a distributed architecture deployment   |
| <b>Getting Started</b>                    |  |
| Navigation Reference Card                 | Provides a mapping of review changes from 10.x compared to 9.x, 9.x compared to 8.x and the user interface changes from 8.x compared to 7.x  |
| Administrator's QuickStart Guide          | Describes basic appliance and case configuration   |
| Reviewer QuickStart Guide                 | A reviewer's reference to getting started using the <i>Analysis &amp; Review</i> module in Veritas eDiscovery Platform   |
| Tagging Reference Card                    | Describes how tag sets and filter type impact filter counts  |
| <b>User and Administration</b>            |  |
| Legal Hold User Guide                     | Describes how to set up and configure an appliance for Legal Holds, and use the Legal Hold module as an administrator in Veritas eDiscovery Platform   |
| Identification and Collection Guide       | Describes how to prepare and collect data for processing, using the Identification and Collection module   |
| Case Administration Guide                 | Describes case setup, processing, and management, plus pre-processing navigation, tips, and recommendations. Includes processing exceptions reference and associated reports, plus file handling information for multiple languages, and supported file types and file type mapping. |
| System Administration Guide               | Includes system backup, restore, and support features, configuration, and anti-virus scanning guidelines for use with Veritas eDiscovery Platform  |
| Load File Import Guide                    | Describes how to import load file sources into Veritas eDiscovery Platform   |

| Document  | Comments  |
|---|---|
| User Guide  | Describes how to perform searches, analysis, and review, including detailed information and syntax examples for performing advanced searches  |
| Audio Search User Guide   | Describes how to use the Audio Search feature to process, analyze, and search and export search media content   |
| Imaging Tool Upgrade Guide  | Provides details about the Imaging Tool Upgrade feature and how to perform Imaging Tool Upgrade after the eDiscovery Platform appliance is upgraded to version 10.0, workflows affected when the cases are upgraded or not upgraded, and frequently asked questions (FAQs). |
| Export and Production Guide   | Describes how to use and produce exports, productions, and logs (privilege and redaction logs).   |
| Transparent Predictive Coding User Guide  | Describes how to use the Predictive Coding feature in Veritas eDiscovery Platform to train the system to predict results from control set data and tag settings   |
| <b>Reference and Support</b>  |   |
| Legal Hold  | Legal Hold administrator's reference of how to create and manage holds  |
| Collection  | A quick reference card of how to collect data in Veritas eDiscovery Platform  |
| OnSite Collection   | A quick reference for performing OnSite collection tasks  |
| Review and Redaction  | Reviewer's reference card of all redaction functions  |
| Keyboard Shortcuts  | A quick reference card listing all supported shortcuts  |
| Production  | Administrator's reference card for production exports   |
| User Rights Management  | A quick reference card for managing user accounts   |
| Audio Search  | A quick reference card for performing multimedia search tasks   |
| Audio Processing  | A quick reference card for processing multimedia sources  |
| <b>Online Help</b>  |   |
| Includes all the above documentation (excluding Installation and Configuration) accessed by clicking <b>Help</b> in the Veritas eDiscovery Platform user interface. |   |
| <b>Release</b>  |   |

| Document      | Comments  |
|---------------|---|
| Release Notes | Provides latest updated information specific to the current product release |

For the latest product documentation:

[https://www.veritas.com/support/en\\_US/article.100040275](https://www.veritas.com/support/en_US/article.100040275)

## Technical Support

Technical Support maintains support centers globally. All support services will be delivered in accordance with your support agreement and the then-current enterprise technical support policies.

For information about our support offerings and how to contact Technical Support, visit our website:

<https://www.veritas.com/support>

You can manage your Veritas account information at the following URL:

<https://my.veritas.com>

If you have questions regarding an existing support agreement, please email the support agreement administration team for your region as follows:

Worldwide (except Japan): [CustomerCare@veritas.com](mailto:CustomerCare@veritas.com)

Japan: [CustomerCare\\_Japan@veritas.com](mailto:CustomerCare_Japan@veritas.com)

## Documentation

Make sure that you have the current version of the documentation. The latest documentation is available from:

- Documentation link at the bottom of any page in the eDiscovery Platform landing page.
- Veritas Products Web site: <https://www.veritas.com/product/a-to-z>

## Documentation Feedback

Your feedback is important to us. Suggest improvements or report errors or omissions to the documentation. Include the document title, document version, chapter title, and section title of the text on which you are reporting. Send feedback to:

[DL-VTAS-eDiscovery-documentation@veritas.com](mailto:DL-VTAS-eDiscovery-documentation@veritas.com)

You can also see documentation information or ask a question on the Veritas community site: <https://vox.veritas.com/>



## Overview

This document provides instructions for upgrading the Veritas eDiscovery Platform from 9.1 and 9.5 release to 10.0 release.

## Installation Basics

The following list provides the details on what you need to do to successfully upgrade:

---

**Note:** This document is for upgrades only. For new installations, refer to the *Veritas eDiscovery Platform Installation Guide*.

---

1. Read the *Veritas eDiscovery Platform Upgrade Overview* to learn important insights about migration information and the release before upgrading.
2. Read the [Imaging Tool Upgrade Guide](#) to learn the upgrade implications for case backups that have unlocked production folders. All the redactions and annotations that are not part of a locked production folder will be lost after you upgrade to eDiscovery Platform version 10.0. To preserve any desired markups, you need to identify and lock the cases that have unlocked production folders.
3. Review this entire Upgrade Guide to understand what gets installed and uninstalled on your machine, the need for full node backup(s), potential reboots, and guidance on upgrading with minimal impact to your case and system environment.
4. Perform the pre-installation steps. See [Upgrade Pre-Installation Steps](#).
5. Review and perform the upgrade installation steps. See [Upgrade Installation Steps](#).

6. Perform the post-installation steps. See [Upgrade Post-Installation Steps](#).
7. In addition to the post-installation steps listed in step 5, run the Imaging Tool Upgrade support feature. It is a mandatory step so that the cases created in pre-v10.0 release can be upgraded and used for imaging-related operations. See Perform Imaging Tool Upgrade.

## Upgrade Pre-Installation Steps

The following steps must be performed in preparation of the upgrade.

### Upgrade Prerequisites

#### Machine Configuration

Confirm supported hardware configuration:

- Veritas eDiscovery Platform 8100 or 8200 appliance
- **C: drive** – 80 GB minimum with recommended 30 GB of disk free space – the installer will display a warning and the system may not function correctly if this space requirement is not met.
- **D: drive or designated second drive** – Minimum of 1.5 TB or more of free disk space

**IMPORTANT!** For brevity and readability, this document hereinafter refers to the **D: drive**, but please note that an alternate drive can be substituted in place of the D: drive.

---

**Note:** The D: drive is used as a temporary cache for many of the processing components in Veritas eDiscovery Platform, therefore a D: drive of at least 1.5 TB is recommended.

---

- Page file is configured with no page file on C: drive and with system managed page file on the D: drive.

## Hardware Compatibility

The platform supports the following types of appliances for the corresponding functions and minimum requirements for hardware (and Virtual Machines if used) in a distributed architecture.

**Note:** Release 10.0 replaces the IGC Native Viewer with PrizmDoc Viewer, which introduced several performance improvements in review, redaction, annotation, and other imaging-related operations. However, these enhancements brought in the need for higher hardware requirements. The minimum recommended hardware requirements vary based on whether the appliance will be used for any Imaging related jobs with the Imaging role enabled.

### *Setup with no Imaging Related Operations*

| Appliance Type                  | Environment                     | Appliance Function   | CPUs RAM                    | Disk                  | VM* |
|---------------------------------|---------------------------------|--|-----------------------------|-----------------------|-----|
| <b>All-In-One (Standalone)</b>  | <i>Standalone</i>               | <i>Hosts Cases and Review and performs Processing</i><br><i>*Also includes Legal Holds and Collections</i> | 32-Core CPU x<br>128 GB RAM | 1.5 TB<br>(1500 IOPs) | Y   |
| <b>Utility</b>                  |                                 | <i>Retrieval and HTML caching</i>  | 4-Core CPU x 8<br>GB RAM    | 500 GB on<br>D:       | Y   |
| <b>Case Home and Processing</b> | <i>Distributed Architecture</i> | <i>Hosts Cases and Review and performs Processing</i>  | 24-Core CPU x<br>96 GB RAM  | 1.5 TB<br>(1500 IOPs) | Y   |
| <b>Review and Processing</b>    | <i>Distributed Architecture</i> | <i>Hosts Review and performs Processing</i>  | 24-Core CPU x<br>96 GB RAM  | 1.5 TB<br>(1500 IOPs) | Y   |
| <b>Case Home Only</b>           | <i>Distributed Architecture</i> | <i>Hosts Cases without Processing and Review</i>   | 16-Core CPU x<br>64 GB RAM  | 1.5 TB<br>(1500 IOPs) | Y   |
| <b>Review Only</b>              | Not Applicable                  |  |                             |                       |     |

| <b>Appliance Type</b>               | <b>Environment</b>              | <b>Appliance Function</b>   | <b>CPUs RAM</b>            | <b>Disk</b>            | <b>VM*</b> |
|-------------------------------------|---------------------------------|---|----------------------------|------------------------|------------|
| <b>Processing Only</b>              | <i>Distributed Architecture</i> | <i>Performs Processing</i>  | 16-Core CPU x 64 GB RAM    | 1.5 TB (1500 IOPs)     | Y          |
| <b>Cluster Admin</b>                | <i>Distributed Architecture</i> | <i>Administers the Distributed Architecture cluster and hosts Legal Holds and Collections</i>   | 32-Core CPU x 128 GB RAM   | 1.5 TB (1500 IOPs)     | Y          |
| <b>Cluster Admin /Database</b>      | <i>Distributed Architecture</i> | <i>Hosts the Distributed Architecture shared database, administers the Distributed Architecture cluster and hosts Legal Holds and Collections</i> | 32-Core CPU x 192 GB RAM   | 1.5 TB (1500 IOPs)     | Y          |
| <b>Shared Remote Database MySQL</b> | <i>Distributed Architecture</i> | Database Server   | 24-Core CPU** x 128 GB RAM | 1.5 TB (1500 IOPs)**** | N***       |

**NOTE:** The number of cores in the above table is the total number of logical processors (with hyper-threading enabled) on the machine, and not just the physical cores.

\* VM performance is lesser than that of a physical machine.

\*\* This is the minimum required configuration, but the recommended configuration is 32-Core CPU.

\*\*\* A physical machine is recommended, but a VM of equivalent performance (on dedicated hardware) can be used if required by local IT policies.

\*\*\*\* You might need 2 TB or higher if the number of cases and items is too high and multiple concurrent activities happen on the system.

**IMPORTANT!** Existing appliances can be repurposed for a distributed architecture deployment. For information about other appliance types, contact your Solutions Consultant, or Technical Support.

### Setup Supporting Imaging Operations (With the Imaging role enabled)

Following specifications are for eDiscovery Platform deployments that are used for native review and jobs such as Image Caching, Production/Export, and Bulk redaction.

| Appliance Type                  | Environment                     | Appliance Function   | CPUs RAM                    | Disk                  | VM* |
|---------------------------------|---------------------------------|--|-----------------------------|-----------------------|-----|
| <b>All-In-One (Standalone)</b>  | <i>Standalone</i>               | <i>Hosts Cases and Review and performs Processing</i><br><i>*Also includes Legal Holds and Collections</i> | 32-Core CPU x<br>128 GB RAM | 1.5 TB<br>(1500 IOPs) | Y   |
| <b>Utility</b>                  |                                 | <i>Caching, Retrieval, Export</i>  | 8-Core CPU x<br>32 GB RAM   | 500 GB on<br>D:       | Y   |
| <b>Case Home and Processing</b> | <i>Distributed Architecture</i> | <i>Hosts Cases and Review and performs Processing</i>  | 24-Core CPU x<br>96 GB RAM  | 1.5 TB<br>(1500 IOPs) | Y   |
| <b>Review and Processing</b>    | <i>Distributed Architecture</i> | <i>Hosts Review and performs Processing</i>  | 24-Core CPU x<br>96 GB RAM  | 1.5 TB<br>(1500 IOPs) | Y   |
| <b>Case Home Only</b>           | <i>Distributed Architecture</i> | <i>Hosts Cases</i>   | 24-Core CPU x<br>96 GB RAM  | 1.5 TB<br>(1500 IOPs) | Y   |
| <b>Review Only</b>              | <i>Distributed Architecture</i> | <i>Hosts Review</i>  | 24-Core CPU x<br>96 GB RAM  | 1.5 TB<br>(1500 IOPs) | Y   |
| <b>Processing Only</b>          | <i>Distributed Architecture</i> | <i>Performs Processing</i>   | 16-Core CPU x<br>64 GB RAM  | 1.5 TB<br>(1500 IOPs) | Y   |
| <b>Cluster Admin</b>            | <i>Distributed Architecture</i> | <i>Administers the Distributed Architecture cluster and</i>  | 32-Core CPU x<br>128 GB RAM | 1.5 TB<br>(1500 IOPs) | Y   |

| Appliance Type                      | Environment                     | Appliance Function  | CPUs RAM                   | Disk                   | VM*  |
|-------------------------------------|---------------------------------|---|----------------------------|------------------------|------|
|                                     |                                 | <i>hosts Legal Holds and Collections</i>  |                            |                        |      |
| <b>Cluster Admin /Database</b>      | <i>Distributed Architecture</i> | <i>Hosts the Distributed Architecture shared database, administers the Distributed Architecture cluster and hosts Legal Holds and Collections</i> | 32-Core CPU x 192 GB RAM   | 1.5 TB (1500 IOPs)     | Y    |
| <b>Shared Remote Database MySQL</b> | <i>Distributed Architecture</i> | Database Server   | 24-Core CPU** x 128 GB RAM | 1.5 TB (1500 IOPs)**** | N*** |

**NOTE:** The number of cores in the above table is the total number of logical processors (with hyper-threading enabled) on the machine, and not just the physical cores.

\* VM performance is lesser than that of a physical machine.

\*\* This is the minimum required configuration, but the recommended configuration is 32-Core CPU.

\*\*\* A physical machine is recommended, but a VM of equivalent performance (on dedicated hardware) can be used if required by local IT policies.

\*\*\*\* You might need 2 TB or higher if the number of cases and items is too high and multiple concurrent activities happen on the system.

**IMPORTANT!** Existing appliances can be repurposed for a distributed architecture deployment. For information about other appliance types, contact your Solutions Consultant, or Technical Support.

## Operating System

Installed and activated:

- Windows Server 2016

---

**Note:** While installing Windows Server 2016, the Desktop Experience option must be selected.

---

- Windows Server 2012 R2 (Standard or Data Center edition)

---

**Note:** eDiscovery Platform installer will install the Ink and Handwriting Services feature for Windows Server 2012 R2 in case it is not installed.

---

### Support Considerations:

Starting with releases 9.5, Veritas eDiscovery Platform is no longer certified or supported on Windows Server 2008 R2 SP1, both Standard and Enterprise editions). If you are running the product on this operating system, please upgrade to a supported operating system.

## Plan for Appropriate Down Time

Carefully determine the maximum downtime that is available and detail the upgrade tasks that have to be performed during that time window. This guide helps identify tasks and recommendations to minimize appliance downtime.

## Software Requirement

- Microsoft Edge, Google Chrome, and Apple Safari
- Microsoft .NET Framework 3.5 SP1 and .NET Framework 4.7.2 (Required)
- Microsoft .NET Framework 4.8.0 Runtime (Recommended)

## SSL Configuration Details

By default, the SSL configuration in the eDiscovery Platform is set to accept 128-bit or greater ciphers and requires the use of the TLSv1.2 protocol. SSLv2, SSLv3.0, TLS1 and TLS1.1 are all disabled but the set of supported ciphers and protocols can be modified if needed. Consult your IT department's security specialists to determine secure settings for your browser.

---

**Note:** If your policies require the use of TLSv1.2, certificates for all appliances must be issued by an external certificate issuing authority and installed on your servers by your own IT department.

---

For more information on secure LDAP SSL/TLS, refer to the *Veritas eDiscovery Platform System Administration Guide 10.0*.

## Upgrade Prerequisite Checklist

After verifying the information in the previous sections, proceed and confirm the items on the following checklist prior to the upgrade. If you need more information, each of these items is covered in detail in the subsequent sections.

| Step | Task  |
|------|---|
| 1    | Plan for appropriate down time.   |
| 2    | Download the 10.0 software from the MyVeritas Licensing portal.<br>See Download 10.0 Software.  |
| 3    | <b>IMPORTANT!</b> Read the 10.0 <i>Veritas eDiscovery Platform Upgrade Overview Guide</i> and the <i>Imaging Tool Upgrade Guide</i> and take appropriate actions.   |
| 4    | If applicable, identify de-dupe implications related to Outlook 2013. Refer to the <i>Veritas eDiscovery Platform Upgrade Overview Guide 10.0</i> for more information.   |
| 5    | Have resources available to support a system restart.   |
| 6    | Verify that the Veritas eDiscovery Platform product version is upgradeable.<br>If applicable, review and plan for cluster considerations.<br>See Verify that the Veritas eDiscovery Platform Product Version is Upgradeable.  |
| 7    | If you have a remote database server, you must update the DBMS standalone server to 5.7.32.<br>This also applies to a configuration where the remote database server and cluster primary server are on the same appliance. See file "D:\CW\V100\utilities\DBMS\ReadMe-DBMS.txt" |
| 8    | Verify if you have administrative privileges (either a local administrator or a domain administrator). In case a domain administrator is used, ensure that you are added to the local administrators' group before starting the eDiscovery Platform installation.               |
| 9    | Verify Windows firewall settings.   |

| Step | Task  |
|------|---|
| 10   | Verify Veritas eDiscovery Platform cases before the upgrade.  |
| 11   | Clean up the Veritas eDiscovery Platform jobs.  |
| 12   | Verify system time zone settings.   |
| 13   | Verify scheduled tasks.   |
| 14   | Close Windows Explorer and all remote login sessions.   |
| 15   | Check Microsoft Office Version, Activation and License Key Status.  |
| 16   | Uninstall Trial Versions of Office 2013 Programs.   |
| 17   | In 10.0, Veritas Enterprise Vault API Runtime 12.4.0 client is installed. If applicable, determine whether you want to use 11.x version of Veritas Enterprise Vault API Runtime.  |
| 18   | <b>IMPORTANT!</b> Perform full node backups on all appliances. This is especially important for the MySQL upgrade.  |
| 19   | Install Windows updates.  |
| 20   | Verify appliance hardware.  |
| 21   | Cluster considerations: <ul style="list-style-type: none"> <li>• Upgrade all servers in the cluster starting with the primary server.</li> <li>• Ensure all appliances are on the same version.</li> <li>• In case of a legacy cluster, make sure you have the firewall turned off on the primary node, and during installation on the node you are validating against the primary database.</li> </ul> |
| 22   | Verify that no other Remote Desktop sessions or applications are open or running.   |
| 23   | Product Installation <ul style="list-style-type: none"> <li>• Run <b>InstallClearwell.bat</b> which is located in the V10 directory where you unzip the installation files.</li> <li>• Choose to upgrade to a new directory.</li> <li>• Verify the current version you are running.</li> </ul>  |

## Download 10.0 Software

Sign in and use the [MyVeritas portal](#) for downloading product software, licensing and support:

- Information and the replacement options are located here:  
[www.veritas.com/docs/100040083](http://www.veritas.com/docs/100040083)
- For cumulative hotfix information and downloads, visit the support site Downloads area:  
[https://www.veritas.com/content/support/en\\_US.html](https://www.veritas.com/content/support/en_US.html)

You can download the appropriate Veritas eDiscovery Platform product files from the Veritas Entitlement Management System (VEMS), previously the Veritas Licensing Portal.

## Read Upgrade Overview Guide

Review the 10.0 *Veritas eDiscovery Platform Upgrade Overview Guide*. Ensure all the changes in behavior and functionality are understood when upgrading existing cases.

## Read Imaging Tool Upgrade Guide

All the redactions and annotations that are not part of a locked production folder will be lost after you upgrade to eDiscovery Platform version 10.0. Before you upgrade to release 10.0, read the Imaging Tool Upgrade Guide and take appropriate actions to preserve any desired markups:

1. Identify any case backups that have unlocked production folders, and restore these backups into V9.1.X or V9.5.X environment.
2. Identify the unlocked production folders that need to be locked for restored or existing cases.
3. Lock the production folders.

## Check for De-Duplication Implications

If applicable to your upgrade scenario, identify potential de-dupe implications when upgrading to Outlook 2013. Refer to the *Veritas eDiscovery Platform Upgrade Overview Guide 10.0* for more information.

## Verify that the Veritas eDiscovery Platform Product Version is Upgradeable

Veritas eDiscovery Platform 10.0 installation supports upgrades from the versions as listed in the following section. To verify that you are at the correct product level, logon to Veritas eDiscovery Platform and select **System > Appliances**. Select the appliance and verify it is at the correct product version.

### Supported Upgrade Paths

| From Release         | To Release |
|----------------------|------------|
| 9.5 GA and all CHF's | 10.0       |
| 9.1 GA and all CHF's | 10.0       |

**Note:** If you are on any pre-9.1 version, upgrade to 9.1 GA before performing the 10.0 upgrade. To verify that you are at the correct product level, log on to Veritas eDiscovery Platform and select **System > Appliances**. Select the appliance and verify it is at the correct product version.

For more information on supported upgrade paths, refer to:  
<http://www.veritas.com/docs/000095769>

If you are upgrading to pre-10.0 release, refer to the *Upgrade Guide* for the respective release.

## Cluster

If you have a cluster of Veritas eDiscovery Platform appliances, you must:

- If you are running a remote database server, then you need to update the DBMS standalone server to 5.7.32. The DBMS installer will take care of upgrading to the latest MySQL version & then tuning the database server. This also applies to a configuration where the remote database server and cluster primary are on the same appliance. See file "D:\CW\V100\utilities\DBMS\ReadMe-DBMS.txt"  
When upgrading the DBMS server to 5.7.32, you must not abort the installation during the phase where the DBMS installer is installing MySQL 5.7.32.
- After the DBMS server is upgraded, the Primary Server should be upgraded, and then the secondary nodes. The appliances in the cluster will not start correctly if they are at incompatible version numbers.
- You must stop all eDiscovery Platform services using the Clearwell Utility on all secondary nodes before upgrading the primary node. Any secondary node that has eDiscovery Platform services running while upgrading the primary node will not be available for upgrade, which might make the Distributed Architecture environment unreliable.
- Depending on the order in which the upgrades complete, the secondary nodes may come up "offline". If that is the case, from the **Manage Appliances** screen, make sure that every secondary node is "enabled", and then stop and restart any secondary node that was "offline" once its upgrade completes.

## Verify Windows Service Settings

Check **Windows > Services** to verify that Veritas eDiscovery Platform service accounts are setup correctly. When upgrading to 10.0, you can choose to keep the existing service account logon credentials.

## User Account for Upgrade Installer

For the upgrade installation, log in to the appliance as the user with administrative privileges (either a local administrator or a domain administrator). In case a domain administrator is used, ensure that you are added to the local administrators' group before starting the eDiscovery Platform installation.

---

**Note:** Three unique Veritas eDiscovery Platform service accounts are required, and a fourth unique Veritas eDiscovery Platform account is strongly recommended to optimize performance when doing MBOX/OST conversions. Make sure that the rules described in the Guidelines for Domain User Accounts section are followed. These policies should be verified to make sure no periodic domain policies override the local appliance settings to remove these.

---

## Guidelines for Domain User Accounts

Before you start upgrading Veritas eDiscovery Platform software, you should verify the domain user accounts. Make sure that all of these domain user accounts have administrative privileges and are members of the Local Administrator group on the appliance. Also verify no Group security policies exist that will remove that new user from the Local Administrator group.

| Service                     | Username (example) | Rules for Account Credentials  |
|-----------------------------|--------------------|--|
| EsaApplicationService       | appadmin           | <ul style="list-style-type: none"> <li>Run the <i>EsaPstCrawlerService</i> and <i>EsaPstRetrieverService</i> as "Local System." These services must use different "Log On As" accounts and must have read/write access to source data.</li> </ul>  |
| EsaPstCrawlerService        | appadmin           |  |
| EsaPstRetrieverService      | pstretriever       | <ul style="list-style-type: none"> <li>Use the same account credentials for <i>EsaApplicationService</i>, <i>EsaNsfCrawlerService</i>, <i>EsaNsfRetrieverService</i>, and <i>EsaPstCrawlerService</i> <i>EsaClassifierService</i></li> <li>The security settings must match the <i>EsaApplicationService</i>: FireDaemon "Log On As" credentials.</li> <li>The IGC services will continue running with the same user account as they were running in the pre-V10 setups.</li> <li>The eDiscovery Platform installer creates the <b>EsaPrizmDocAdmin</b></li> </ul> |
| EsaNsfCrawlerService        | appadmin           |  |
| EsaNsfRetrieverService      | appadmin           |  |
| EsaExchangeCrawlerService   | appadmin           |  |
| EsaExchangeRetrieverService | appadmin           |  |
| EsaEvCrawlerService         | appadmin           |  |
| EsaEvRetrieverService       | appadmin           |  |
| IGCBravaLicenseService      |                    |  |
| IGCJobProcessorService      |                    |  |
| EsaPrizmDocServer           | EsaPrizmDocAdmin   |  |
| EsaPrizmApplicationServices |                    |  |

| Service              | Username (example) | Rules for Account Credentials   |
|----------------------|--------------------|---|
|                      |                    | local user with admin privileges for PrizmDoc services.   |
| EsalImageHelper      | ESADocImager       | <ul style="list-style-type: none"> <li>The user account for the service has the "Log On As" service right and is not an account that manages any other Clearwell services.</li> <li>At a minimum, the user account must be a domain user account and have UNC access (versus a drive letter) to read and write to the Veritas eDiscovery Platform appliance. For example, <code>\\&lt;appliance-IPaddress&gt;\d\$\&lt;dir&gt;\&lt;dir&gt;\...</code></li> </ul> |
| EsaClassifierService | appadmin           | <ul style="list-style-type: none"> <li>Use the same account credentials used for <i>EsaApplicationService</i></li> </ul>  |

### Requirements for the Service "Log On As" accounts:

- Use the *Domain\Account* format instead of the *Account@Domain.com* format.
- Make sure these Domain accounts have full control (read/write) access to any appropriate network shares.
- Make sure these Domain accounts are members of the Local Administrator group
- Make sure no domain or group policies will remove these accounts from the "logon locally" or "logon as a service" rights.
- In the Veritas eDiscovery Platform UI **System > Settings**, you should enter the same "Log On As" account credentials as you used for the *EsaApplicationService* for the Windows authentication user name and password.
- If you change the "Log On As" credentials for the *EsaNSFCrawlerService* or *EsaNSFRetrieverService*, then you must logon to the appliance using the same user account specified and initialize the Lotus Notes Client (see 27 When the installer prompts


for Lotus Notes initialization, click **Yes** to initialize Lotus Notes. in this document).

|                                    |                  |          |           |                   |
|------------------------------------|------------------|----------|-----------|-------------------|
| EsaApplicationService : FireDaemon | Manages Cl...    | Running  | Automatic | \cwppadmin        |
| EsaClassifierService               | Classifier po... | Running  | Automatic | \cwppadmin        |
| EsaEvCrawlerService                | Manages Cl...    | Running  | Automatic | \cwppadmin        |
| EsaEvRetrieverService              | Manages Cl...    | Running  | Automatic | \cwppadmin        |
| EsaExchangeCrawlerService          | Manages Cl...    | Running  | Automatic | \cwppadmin        |
| EsaExchangeRetrieverService        | Manages Cl...    | Running  | Automatic | \cwppadmin        |
| EsaGCBravaLicenseService           | ClearwellG...    | Running  | Automatic | \Administrator    |
| EsaGJobProcessor                   | ClearwellG...    | Running  | Automatic | \Administrator    |
| EsaImageHelper                     | Manages Cl...    | Running  | Automatic | \ESADocImager     |
| EsaNsfCrawlerService               | Manages Cl...    | Running  | Automatic | \cwppadmin        |
| EsaNsfRetrieverService             | Manages Cl...    | Running  | Automatic | \cwppadmin        |
| EsaNxbGridAgent                    | Searches ph...   | Disabled | Automatic | \cwppadmin        |
| EsaNxbGridBase                     | Manages da...    | Disabled | Automatic | \cwppadmin        |
| EsaNxbGridGateway                  | Provides th...   | Disabled | Automatic | \cwppadmin        |
| EsaPrizmApplicationServices        | Runs the Pri...  | Running  | Automatic | \EsaPrizmDocAdmin |
| EsaPrizmDocServer                  | Runs the Pri...  | Running  | Automatic | \EsaPrizmDocAdmin |
| EsaPstCrawlerService               | Manages Cl...    | Running  | Automatic | \cwppadmin        |
| EsaPstRetrieverService             | Manages Cl...    | Running  | Automatic | \cwpstretreiver   |


## Adding domain user account to the Local Admin Group on Appliance

### To add the service accounts to the Local Administrators Group on appliance:


1. Click **Start**, point to **Administrative Tools**, and then click **Computer Management**.
2. Under **System Tools**, click **Local Users and Groups**.
3. Click **Users**. Under **Users**, click **More Actions**.



4. Click **New User**.



5. Enter the username in the **User name** field.
6. Enter the password in the **Password** field and the **Confirm password** field.
7. Clear the **User must change password at next logon** check box.
8. Click **Create**. The user will appear in the Users list.
9. Right-click on the user name, and then click **Properties**.  
Alternatively, under **Actions** > <user name> > **More Actions**, click **Properties**.
10. On the <user name> Properties dialog, click the **Member Of** tab.



11. Click **Add**.
12. On the Select Groups dialog, enter the group name (Administrators) in the **Enter the object names to select** field, and then click **Check Names**. The group name (Administrators) appears in the **Enter the object names to select** field.

13. Click **OK**. The (Administrators) group will appear in the **Member of** list on the <user name> Properties dialog.
14. Click **OK**. The user gets added to the (Administrators) group.

## Verify Windows Firewall Settings

Go to **Start > Settings > Control Panel > Windows Firewall**. Note whether the Firewall is configured to be On or Off. After the 10.0 upgrade, you should verify this setting is set to Off. If you have communication problems with nodes in the cluster after you have upgraded to 10.0, then you may need to turn the firewall Off after the installation.

## Verify eDiscovery Platform Cases Before the Upgrade

In Veritas eDiscovery Platform, go to **All Processing > Processing > Cases** tab and verify that all cases are online before the upgrade. You should also verify that no cases are in a "Processing" status indicating that new data is being processed, or that no exports are in progress. Additionally, you should verify that you do not have any more than 100 cases active in a non-clustered configuration.


**IMPORTANT!** If your case backups are stored locally, Veritas recommends first backing them up to a remote location before continuing with the upgrade. Refer to the "Backup and Restore" section of the *Veritas eDiscovery Platform System Administration Guide* to back up your cases to a remote location.

## Cleanup Veritas eDiscovery Platform Jobs

1. From within the Veritas eDiscovery Platform **System > Jobs** screen, change the Context to "All Jobs" and change the Jobs updated "at any time"
2. Select the Status column to sort by Status and verify that no jobs are in an "unfinished" status.  
Once you upgrade to 10.0, you will not be able to "Retry" or "Finish" any jobs that were partially completed.
3. You should also stop any Pending jobs as they will need to be rerun again once the upgrade has completed.
4. Ensure that there are no LEF processes (E01) running after the jobs stop.
5. Select the "Output Size" column to sort by size to verify if there are several large export jobs still remaining in the system.

- If there are several large export/print jobs that are no longer needed, delete them now to save considerable time during the full node backups. If the exports are still needed, they should be saved to another location and then deleted from Veritas eDiscovery Platform.

Note that if the export jobs were not zipped, the size will display as N/A, so these jobs should be checked as well to see if there is a large amount of backup content.



| Last Updated  | User      | Case     | Description   | Status  | Output Size |
|---------------|-----------|----------|---|---------|-------------|
| 08/19 3:00 PM | superuser | (System) | Upgrading case Case_053_Add_Discover_Process_Search | Success | N/A         |
| 08/19 3:00 PM | superuser | (System) | Upgrading case Case_DumsterTestFromOutlook          | Success | N/A         |
| 08/19 2:59 PM | superuser | (System) | Upgrading collections and data map                  | Success | N/A         |

## Verify System Time Zone Settings

Verify the Windows time zone setting to make sure it is set appropriately for your environment.

For a cluster configuration, verify that all servers in the cluster are configured to the same time zone with their clocks within two minutes of each other. Otherwise, the systems will not be able to be clustered together.

During installation, when Veritas eDiscovery Platform services are being installed, the Date and Time dialog may also appear, allowing you to change the date/time, and/or change the time zone.)


## Verify Scheduled Tasks

Verify if there are any scheduled tasks to perform routine full node backups.

Go to **Start > Settings > Control Panel > Scheduled Tasks** or **Start > Settings > Control Panel > Administrative Tools > Task Scheduler**.

Review the list of tasks to see if there any Veritas eDiscovery Platform full node backups are scheduled. If so, disable or delete this scheduled task.

After the 10.0 upgrade, a new task will need to be scheduled pointing to the backup script in the new 10.0 directories.



## Close Windows Explorer and all Remote Login Sessions

Ensure Windows Explorer, and all Microsoft programs and prompts are closed, so that no folder will be locked during installation. Also, be sure to close all remote login sessions, to prevent other users' login sessions from interfering with remote drive installation (<Second Drive>:\MySQL) so that the folder can be accessed by Veritas eDiscovery Platform.

## Check Microsoft Office Version and Activation Status

Veritas eDiscovery Platform only supports version 2013 of Microsoft Office Professional Plus application. To avoid compatibility and license key issues, check the appliance to see what version of Microsoft Office is currently installed and the product activation state.

### To check MS Office version and activation status

1. On the appliance to be upgraded, open any Microsoft Office 2013 application and click **Help** on the **File** menu. To the right of the dialog box, under the Microsoft Office logo, a message displays with either "**Product Activated**" or "**Product Activation Required**".

If you have Office 2013 with "Product Activated", then you do not need to obtain a license key for the upgrade.

---

**Note:** You must obtain and install the Microsoft Office Professional Plus 2013 Service Pack 1 (SP1). Also, install all of the latest patches.

---

## Uninstall Trial Versions of Microsoft Office 2010 Programs

The 10.0 installer uninstalls existing trial versions of Office 2010 Home and Business version, but NOT the Microsoft Office Professional Plus 2010 version. You must manually uninstall the trial version of Office Professional Plus 2010. The 10.0 installer installs trial version of Office Professional Plus 2013. You must manually activate Office 2013.

## Veritas Enterprise Vault API Runtime

- If applicable to your environment, decide whether to use 11.x or 12.x version of Veritas Enterprise Vault API Runtime or accept the installation of Veritas Enterprise Vault API Runtime 12.4.0.

**IMPORTANT!** The Enterprise Vault API Runtime client must be compatible with the Enterprise Vault server version. Also, ensure that your appliance is in the same domain as the Enterprise Vault Directory server.

If your environment requires 11.x or 12.x version of Veritas Enterprise Vault, do the following:

- 1 Select the **Custom** install option.
- 2 Deselect the **Veritas Enterprise Vault API Runtime 12.4.0** selection.
- 3 Allow the Veritas eDiscovery Platform install to complete.
- 4 Install the required EV client runtime libraries to match the version of your EV server.

## Perform Full Node Backups on All Appliances

Before upgrading to 10.0, the following steps must be taken.

1. Verify space and backup locations in preparation for performing a full node backup. Verify the following on the system:
  - Total space available on the D: drive is at least 1 TB.
  - Total number of files in the *<installation directory>\data* directory. If there are more than 100,000 files in this directory, then you most likely have several export jobs still in the **System > Jobs** location on the Veritas eDiscovery Platform appliance. See Cleanup Veritas eDiscovery Platform Jobs section for more information.

- Target location for the full node backups: (Default is <installation directory>\backups unless this has been configured to back up elsewhere).
  - Target location for the case backups: (Default is <installation directory>\caseBackups unless this has been configured to back up elsewhere).
2. Review backup policies to make sure case and system backups are scheduled periodically and preferably in a location off of the appliance. For more information, refer to the *Veritas eDiscovery Platform System Administration Guide*.
  3. Using Option 1 in the Clearwell Utility on the Appliance desktop, perform a Full Node Backup. When prompted “Would you like to include case backups? (y,n)”, select **n**.




```

Clearwell Utility
Welcome to the Clearwell Maintenance Utility
Current working directory: D:\CWV100
*****
1. Backup Appliance
2. Restore Appliance
-----
3. Stop All Clearwell Services
4. Start All Clearwell Services
-----
5. Tail Clearwell logs
6. Upload Clearwell Logs
-----
7. Build Incremental Configuration Changes
-----
8. Apply Patches
   If multiple patches, separated by commas
-----
9. Generate self-signed certificate
-----
Q. Quit
-----
Please select a number:

```

Alternatively, you can perform a backup using the **Action > Backup Appliance** option on the Clearwell Commander on the Appliance desktop.



Full node backups will take potentially several hours depending on the number and size of cases on the appliance. Typical full node backup

rates are approximately 20 minutes per 1 million documents assuming that export jobs have been cleaned up as described in the previous section, "Cleanup Veritas eDiscovery Platform Jobs." Times may vary depending on the specifics of your deployment.

## Perform Windows Updates

Make sure that the latest Windows updates are installed at the time of the upgrade. Remember to stop all Veritas eDiscovery Platform Services before restarting Windows.

---

**Note:** The best practice is to stop all Veritas eDiscovery Platform services cleanly whenever possible before restarting Windows. To stop all services, use the Clearwell Utility on the desktop. Select number 3 to "Stop All Clearwell Services."

Alternatively, use the **Action > Stop Appliance Services** option on the Clearwell Commander.

---

## Verify Appliance Hardware

It is recommended you take the opportunity during this maintenance window to verify that all hardware components are operating effectively. If you have a Dell appliance, it is recommended to install the Dell DSET application if you do not currently have it installed.

This will run some Hardware diagnostics and flag any errors. Manually inspect the server to ensure that there are no red warning lights needing attention.

## Upgrade Installation Steps

The following steps provide instructions for upgrading an appliance from pre-10.0 version to 10.0.

### Cluster Considerations

If you have a cluster of Veritas eDiscovery Platform appliances, **you need to upgrade all servers in the cluster**. The appliances in the cluster will not start correctly if they are at incompatible version numbers.

Be sure to upgrade your components in the following order:

- (1) the remote database server

---

**Note:** If you have a remote database server, you must run the DBMS utility installer first irrespective of whether the remote database server is located on the same node as the cluster primary or on a remote server.

---

- (2) the primary server

---

**Note:** You must stop all eDiscovery Platform services using the Clearwell Utility on all secondary nodes before upgrading the primary node. Any secondary node that has eDiscovery Platform services running while upgrading the primary node will not be available for upgrade, which might make the Distributed Architecture environment unreliable.

---

- (3) any secondary appliances

# Veritas eDiscovery Platform Product Installation/Upgrade Instructions

1. Complete the Pre-Installation steps required in the previous sections.
2. Confirm that a Full Node backup was completed (on all appliances in case of a Cluster configuration).
3. Verify that no other Remote Desktop sessions are open with Windows or applications running that may interfere with the installation.
4. Close all browsers and other applications prior to the upgrade. Unzip the installer into a temporary directory (D:\tmpInst directory).
5. Navigate to the directory where you want to download the file and unzip the installer zip file. For example:

`D:\CW\Installer\Distributions\<Release>`


---

**Note:** The installer file naming convention is:

`Veritas_eDiscovery_Platform_Installer_<release>_Win_EN.zip.`

---

Double-click on the **InstallClearwell.bat** program.



6. Click **Next** on the Clearwell 10.0 screen.
7. Read and acknowledge acceptance of the terms of the Veritas license agreement. Click **Next**.

A warning about installing Cumulative Hotfixes available for the upgraded version is displayed.

Upon accepting license terms and clicking **OK** for the warning, Veritas eDiscovery Platform stops services before continuing the installation. Click **Yes** to continue.

8. A warning will appear if Veritas eDiscovery Platform detects that the appliance doesn't meet the minimum requirements, or there are Windows features that should be disabled in order to maximize space on the C: drive:

- A. Ensure you have enough (or free up) space on the C: Drive before continuing the installation.
- B. Veritas recommends disabling the "Windows Error Reporting and Problem Reports and Solutions" feature to maximize space on the C: Drive before continuing the installation.

Follow the steps for the Windows Server 2012 R2 and Windows Server 2016 operating system:

Go to **Control Panel > System and Security > Action Center > Maintenance > Settings** > select the option "**I don't want to participate, and don't ask me again**" > click **OK**.

**IMPORTANT!** If you still do not have sufficient drive space available, contact Veritas Technical Support, who can advise on a remediation approach.

- C. Veritas recommends disabling the "Windows memory dump" feature to maximize space on the C: Drive before continuing the installation.

To disable, follow the steps for the Windows Server 2012 R2 and Windows Server 2016 operating system.

Go to **Control Panel > System and Security > System > Advance System Settings** and click **Settings** in **Startup and Recovery**, under the **Write debugging information** drop-down menu, select **(none)** and click **OK**.

Click **Yes** to continue.


- At the prompt, click **Yes** to confirm stopping Veritas eDiscovery Platform services and to continue with the installation.

---


**Note:** Veritas eDiscovery Platform will automatically check for previous (upgradeable) versions. If a non-upgradeable version is installed, upgrade to the supported upgradable version before proceeding.

---


- Select **Upgrade in a new directory** unless you want to remove all of your Veritas eDiscovery Platform cases and start clean with 10.0 and click **Next**.



11. Choose the appropriate selection and click **Next**:
  - Option 1: Restore configuration files? (Recommended)
  - Option 2: Move local caseBackups directory (including ICP backups) to the new installation  
eDiscovery Platform keeps the existing security certificate by default.



12. The following dialog serves as a reminder to perform the appliance backup outside of this installation if it has not already been done. Click **Yes**.



13. On the Choose Destination Location screen, leave the default 10.0 installation directory as is, and click **Next**.

**IMPORTANT!** Virus scanning exclusion rules must also be updated or changed to the new installation directory. Refer to the *Virus Scanning Guidelines* section in the *Veritas eDiscovery Platform System Administration Guide*.

For Setup type, leave the default selection, **Complete**, and click **Next**.

The installer will only install the software components that are missing from the appliance or need upgrade.

**IMPORTANT!** Select **Custom** only to view the individual software components that will be installed, but do not change any of the default selections which are required as part of the installation. Selecting **Custom** displays the Select Features screen showing the third party components to be installed with 10.0. Click **Next**.

---


**Note:** Veritas Enterprise Vault API Runtime 12.4.0 is installed with 10.0. If your environment requires the 11.x or 12.x version of Veritas Enterprise Vault API Runtime, then do the following:

1. Select the **Custom** install option.
2. Deselect the **Veritas Enterprise Vault API Runtime 12.4.0** selection.
3. Allow the Veritas eDiscovery Platform install to complete.
4. Install the required EV client runtime libraries to match the version of your EV server.


---

A warning is issued if .NET Framework 4.7.2 is not installed on the system. It is recommended to install this version for security reasons. Click **OK**. Install .Net Framework 4.7.2 and Restart the upgrade process.


A Warning is issued if .NET Framework 4.8.0 is not installed on the system. It is Recommended to install this version for security reasons. Click **OK**.



Click **No** to continue the eDiscovery Platform installation if .NET 4.7.2 is installed on your system.




A warning is issued to upgrade MySQL to 5.7.32. Node backup must be performed before continuing. Click **Yes**.




If you have changed the MySQL root password for your earlier version of installation, the system prompts you to enter and confirm the MySQL root password.

Enter your MySQL root password, and then click **Next**.




If an incorrect password is entered, a warning appears. Click **OK** to go back to the Password screen.



If you do not remember your MySQL root password, click the **Help** button.


- A. Navigate to **Clearwell Commander > Action > Password Manager**.
- B. Stop all services except MySQL.
- C. Click **Show Passwords** to display the password.

Instructions to find the password are shown in the dialog message that displays.




Click **OK** to continue the installation.

A warning is issued about memory space and Windows Updates requirements. Click **Yes**.



A warning is issued about Windows Error Reporting. Click **Yes**.



**IMPORTANT!** After Enterprise Vault is uninstalled, the following pop up will notify you of the same and a restart of the appliance will be required. Click **OK**.

---

**Note:** If an older version of Enterprise Vault is detected, a warning is issued about uninstalling the older version. Hence the installer asks for a single reboot after uninstalling the older version of Enterprise Vault. Another reboot will be required only after the upgrade is completed as mentioned in step 31.


---

After the reboot, the installer starts automatically. If not, rerun **InstallClearwell.bat**.


A warning is issued about matching the Enterprise Vault versions. Click **OK**.

14. Check that the time zone settings are correct, and click **OK**.

15. The system prompts you to enter credentials for Muhimbi Document Converter service. Enter account username and password, and then click **Next**.



16. The system prompts you to enter credentials for PrizmDoc service. Enter account username and password, and then click **Next**.



17. On the Setup Type screen, select **Yes** if you want to keep the Veritas eDiscovery Platform service accounts with all their credentials the

same as in a prior version.

**Clearwell Service Information**  
De-select the services you don't want to create. Provide logon username and password for each service.

Apply EsaApplicationService logon credential to selected services

| Service   | Logon As          | Password  |
|---|-------------------|-----------|
| <input checked="" type="checkbox"/> EsaApplicationService/EsaSubShellService (Required) | \cwappadmin       | ••••••••  |
| <input checked="" type="checkbox"/> PST Services  |                   |           |
| Crawler   | \cwappadmin       | ••••••••  |
| Retriever   | \cwpstretreiver   | ••••••••  |
| <input checked="" type="checkbox"/> NSF Crawler/Retriever services                      | \cwappadmin       | ••••~•••• |
| <input checked="" type="checkbox"/> Exchange Crawler/Retriever services                 | \cwappadmin       | ••••~•••• |
| <input checked="" type="checkbox"/> EV Crawler/Retriever services                       | \cwappadmin       | ••••~••~• |
| <input checked="" type="checkbox"/> Classifier service                                  | \cwappadmin       | ••••~••~• |
| EsaImageHelper (Muhimbi DocumentConverterService)                                       | \ESADocmager      | ••••~••~• |
| EsaPrizmDocServer<br>EsaPrizmApplicatorServices   | \EsaPrizmDocAdmin | ••••~••~• |

Let Clearwell manage Firewall?  Yes  No

< Back    Next >    Cancel

If you select **No**, then a prompt appears with a window where all the service accounts can be selected/deselected and logon accounts can be configured per service. The accounts are setup with the default appliance *cwappadmin* and *cwpstretreiver* local account logon credentials. Click **Next**.

Selecting **No** may also prompt the Date and Time dialog, allowing you to change the Windows defaults, and/or the time zone settings. Click **OK**.

Default credentials for the various services are populated, but can be changed. When finished, click **Next**.

Selecting **Yes** and clicking **Next** prompts Veritas eDiscovery Platform to verify all service accounts. The system automatically checks whether the specified accounts have sufficient permissions to be used as service accounts.

---

**Note:** Credentials can be changed on the Clearwell Service Information screen, if required. See Guidelines for Domain User Accounts.


---

A warning is issued if the "Log On As" account used for the Image Helper Service Account and PrizmDoc Service Account overlaps with other service accounts. Make sure you use a "Log On Account"


as mentioned in the Guidelines for Domain User Accounts section. Click **OK** to continue the installation.

If correct "Log On As" service accounts are used, a message confirming the same appears. Click **OK** to continue the installation.

18. At the prompt, to confirm that Veritas eDiscovery Platform will manage your firewall (recommended), click **Yes**.
19. The Ready to Install Clearwell Software screen displays the program files selected for installation. Click **Next**.



20. Click **Yes**.



21. You may get an error that the directory is in use if any of the following are true:

- Veritas eDiscovery Platform services were not shut down
- DOS prompt has a lock on the previous Veritas eDiscovery Platform installation directory
- If there are file shares in place locking the directory

A pop-up will appear to ensure that all processes are not already running.

**Important:** If you click **Yes**, and you have Microsoft KB 2993651 installed, the font

D:\cw\vXXX\config\templates\jasperreports\ARIALUNI.TTF will be locked and a "File in use" message is displayed by the Windows OS system.

**Note:** There are several changes in font behavior that are associated with security update KB 2993651 (formerly called KB 2982791)

To mitigate this situation, the question pop-up is displayed to confirm the font file. If you are sure that this font file is the **ONLY** file in use, click **Yes** to continue.


Check **Windows > Task Manager** and confirm that there are no Veritas eDiscovery Platform or Lotus Notes processes running such as cwjava.exe, \*crawler.exe, \*retriever.exe, firedaemon\*, lef\*.exe, ntmulti.exe, nnotesmm.exe, lnnotes.exe, nslsvce.exe and scandir.exe.

If any of these processes are present, stop any Veritas eDiscovery Platform services if they are still running. If this does not resolve the issue, then end the process or processes with Task Manager.

If you cannot determine which application is "locking" the prior Veritas eDiscovery Platform installation directory, the Windows Process Explorer Utility can be used to find it. You can download the Process Explorer utility is from: <http://technet.microsoft.com/en-us/sysinternals/bb896653>. Once downloaded, run the **procexp.exe** program. If you are unable to determine the cause of a lock, contact Veritas technical support for assistance.

- 1 Select **Find > Find Handle or DLL...** Enter the locked directory (d:\cw\v10) and then click **Search**.

2. Once you are able to locate the program locking the installation directory, end that program, and then quit the Process Explorer program.
22. The Veritas eDiscovery Platform installation will proceed to install the necessary components. Click **Next**.
23. If Lotus Notes 8.5.2 is not installed in an earlier release of eDiscovery Platform, the 10.0 installer installs Lotus Notes 8.5.2. If Lotus Notes 8.5.2 is already present on the system, skip to Step 33.
24. When the installer prompts for Lotus Notes initialization, click **Yes** to initialize Lotus Notes.



Initialization instructions and screenshots are documented in the next steps, but are also shown in the dialog message that displays. If Lotus Notes is already initialized you may not see this screen.




Click **OK** to continue. You must perform the next steps to manually initialize Lotus Notes.

---

**Note:** Even if you do not have a Domino server, you must complete the Lotus Notes installation to complete the installation of Veritas eDiscovery Platform.

---

25. Use Remote Desktop to the server with a second connection in order to proceed with the initialization of Lotus Notes. Logon to the appliance with the account credential provided in the NSF Retriever or Crawler service (if you have not already done so).  
Go to **Start > (All) Programs > Lotus Applications > Lotus Notes 8.5** to launch the Notes client. Click **Next**.




26. Enter **Clearwell** in the name field and clear (deselect) the option **I want to connect to a Domino server**. Click **Next**.


---

**Note:** If you are using a Domino server, then keep the option I want to connect to a Domino server selected and then enter the Domino settings on the following screens.

---



27. Select **Directory server (LDAP)**. Click **Next**.



28. Enter **ldap.ign.ibm.com** in the text box labeled **Directory LDAP server**.




Click **Next** to complete Lotus Notes setup.

---


**Note:** You might receive a popup box stating: "Lotus Notes is not currently set as your default email program. Would you like to set it now?" Make sure that Lotus Notes is not set as the default mail client during the Lotus Notes client installation. Microsoft Office Outlook should be the default mail client.

---


29. On the **Getting Started** screen, close **Lotus Notes** and select the option **In the future, exit without prompting**.



30. Go back to the Installer dialog and click **OK** to continue.
31. The system continues the installation. After installation completes, select **Yes, I want to restart my computer now**, and then select **Finish** to reboot the system.



If you select **No, I will restart my computer later** and click **Finish**, then the following screen appears. The option of browser varies depending on the browsers detected on your computer.



## (Optional) Setting Up Your System for Audio Processing

Users who have purchased the Audio Processing option can process and search the audio or media files for new cases created on the 10.0 release. This section describes the prerequisites and the installation steps for installing the Audio Search tools.

---

**Note:** Perform the procedures described in this section and if you have purchased the optional Audio Processing feature. If you already have set up your system for audio processing in earlier release and now upgrading to 10.0, you do not need to perform these procedures.

---

After you complete the upgrade of Veritas eDiscovery Platform, you should perform the following steps to set up your system for audio processing:

1. Make sure that you have an Enterprise Audio Processing license.
2. Exclude the Audio Search directories from antivirus scans.
3. Configure firewall software.
4. Start the start audio search services and then check if audio search services are running.

These steps are explained in detail in the following sections.

## Setting Up Your System: Server-Side

You must meet the following prerequisites to successfully pre-process, analyze, search and run analytics and reports on your audio content.

### Prerequisites

#### Audio License

Veritas eDiscovery Platform offers an Enterprise Audio Processing license which is a usage model based on the number of hours of audio content that has been processed. The system maintains an up-to-date inventory of the number of hours of audio content that has been consumed and the number of hours available. For more information, see the *Veritas eDiscovery Platform Audio Search Guide*.

---

**Note:** The system does not charge for duplicate audio processed files that have the same language pack.

---

#### Antivirus Exclusions

By default, the Audio Search software components and a series of language packs is installed when you complete the installation of Veritas eDiscovery Platform. The Audio Search software is installed into the following directories and subdirectories. To avoid interference with critical media operations, be sure to disable virus and malware scanning software. In particular, Malwarebytes Anti-Malware, Kaspersky Endpoint Security, and Microsoft Security Essentials are known to interfere with media operations. Make sure to exclude these directories from antivirus scans:

| Directory                                   | Description   |
|---|---|
| C:\Program Files(86)\Nexidia                | Language Packs  |
| C:\Program Files(86)\Nexidia\Language Packs | Language-specific Search documentation                                |
| C:\Program Files\Nexidia\Search Grid 2.0    | Search Grid   |
| D:\Nexidia                                  | Search Grid data and logs   |
| C:\Users\<username>\AppData\Local\Temp      | Temporary folder for the account under which Search Grid services run |

#### Firewall Configuration and TCP Port Usage

Make sure you configure any firewall software or other port filtering technology to allow incoming audio-related TCP connections on the ports listed in the following table:

| Component  | Port # |
|--|--------|
| esa.firewall.port.nexidiapublic.desc=Nexidia Search Grid Gateway Public Port<br>esa.firewall.port.nexidiapublic.port=25002       | 25002  |
| esa.firewall.port.nexidiamsgbrkr.desc=Nexidia Search Grid Message Broker Port<br>esa.firewall.port.nexidiamsgbrkr.port=25100     | 25100  |
| esa.firewall.port.nexidiadatabase.desc=Nexidia Search Grid Gateway Database Port<br>esa.firewall.port.nexidiadatabase.port=25101 | 25101  |
| esa.firewall.port.nexidiagtwyhttp.desc=Nexidia Search Grid Gateway HTTP Port<br>esa.firewall.port.nexidiagtwyhttp.port=25102     | 25102  |
| esa.firewall.port.nexidiabasehttp.desc=Nexidia Search Grid Base HTTP Port<br>esa.firewall.port.nexidiabasehttp.port=25122        | 25122  |

## Audio Search Services

By default, the Audio Search software components are installed when you complete the installation of Veritas eDiscovery Platform. Three Nexidia audio search grid services are created (but are not started!) in the Services control panel. Before proceeding any further with the audio search setup, you must start these services.

| Name                                | Service          | Description  |
|-------------------------------------|------------------|--|
| Nexidia Search Grid Agent Service   | EsaNxGridAgent   | Performs search and other CPU-intensive operations like phonetic index creation, classification, and language identification |
| Nexidia Search Grid Base Service    | EsaNxGridBase    | Manages data storage and communications for Nexidia Search Grid  |
| Nexidia Search Grid Gateway Service | EsaNxGridGateway | Provides the public interface to Nexidia Search Grid   |

**To start audio search services**

When you are first starting audio services, use the start audio services command.

- To start the audio services  
 Enter the following from a command prompt:  
**b start-audio-services** (starts only the audio services)
- To start all of the Veritas eDiscovery Platform services including audio  
**b start-services**




**To stop and disable audio search services**

Use the stop command when audio processing and search is no longer needed.

- Stop audio search services from a command prompt:  
**b stop-audio-services**

**To check if audio search services are running**

If you see the three audio grid services running via the Windows Services control panel then you have successfully installed Audio Search.

|  |   |         |           |
|--|---|---------|-----------|
|  EsaNxGridAgent   | Searches phonetic indexes for Nexidia Search Grid               | Started | Automatic |
|  EsaNxGridBase    | Manages data storage and communications for Nexidia Search Grid | Started | Automatic |
|  EsaNxGridGateway | Provides the public interface to Nexidia Search Grid            | Started | Automatic |

---

**Note:** The procedure for accessing the Services control panel varies, depending upon the version of Microsoft Windows you are using.

---

# 10.0 Installation Verification and Log Files Review

To verify that 10.0 is installed correctly, log on to Veritas eDiscovery Platform and select **System > Appliances**. Select the appliance and verify that it matches Product Version 10.0.0.9.0.

---

**Note:** If you have a cluster of Veritas eDiscovery Platform appliances, repeat the verification steps above on ALL appliances in the cluster. All appliances in a cluster must be at the same product version to operate correctly.

---

It is always a good idea to upload logs to Veritas eDiscovery Platform support following an upgrade.

Go to **System > Logs > Upload to support** and upload log files.

After the installation completes, the upgrade of all cases may take several minutes or more than an hour depending on the size of cases active in the system at the time of the upgrade. The Veritas eDiscovery Platform appliance should upgrade relatively quickly (approximately 5 minutes), and then all the case upgrades will be kicked off as jobs.

**IMPORTANT!** You should wait for any upgrade related jobs (case backup) to complete *before* applying any patches or restarting the system. For example, if you opt to move the case backups into the new repository, then it may take several minutes before the backups or archive jobs display.

Once the “Please wait while the Veritas eDiscovery Platform appliance finishes its initialization” warning disappears, then log on to Veritas eDiscovery Platform to track the case upgrade progress. The cases will be upgraded in order of the time the cases were created, with the newest cases being upgraded first. If you want to modify the case upgrade order, then be sure to stop all the upgrade jobs that were automatically submitted, and then manually upgrade the cases in the order you prefer. It is best to stop the upgrade jobs in the first two minutes when Veritas eDiscovery Platform is first available for logging on when cases are still in a “Pending” status.

In order to track the progress of the case upgrades, check the job in the Jobs window, or from the **System > Jobs** screen.

| <input type="checkbox"/> | Last Updated  | User      | Case     | Description                     | Status  | Output Size |
|--------------------------|---------------|-----------|----------|---------------------------------|---------|-------------|
| <input type="checkbox"/> | Today 4:54 PM | superuser | (System) | Upgrading case DR_Enron         | Success | N/A         |
| <input type="checkbox"/> | Today 4:52 PM | superuser | (System) | Upgrading case Sec v Tamas V51  | Success | N/A         |
| <input type="checkbox"/> | Today 4:52 PM | superuser | (System) | Upgrading case SEC v Tamas Corp | Success | N/A         |
| <input type="checkbox"/> | Today 4:52 PM | superuser | (System) | Upgrading case NSFTestcase      | Success | N/A         |
| <input type="checkbox"/> | Today 4:52 PM | superuser | (System) | Upgrading case Sec v Tamas      | Success | N/A         |

Each case upgrade job will have a job log that can be used to track case upgrade performance. Each case will step through a similar upgrade workflow:

- Applying upgrade of case tables
- Applying upgrade of index tables
- Applying upgrade of email\_locator table
- 1. Applying upgrade of case\_temp tables
  - Applying upgrade of case\_appliance tables
  - Applying upgrade of case\_group tables
  - Checking consistency of case tables

Once cases are upgraded, a post-processing job is automatically started in every case.

Processing jobs can be viewed in the **System > Jobs** screen (by changing the Job Context to "All Jobs").

# Upgrade Post-Installation Steps

The following steps should be performed *after* the Veritas eDiscovery Platform appliance has been successfully upgraded to 10.0.

## Post-upgrade Checklist

After upgrading the Veritas eDiscovery Platform, use the following checklist to ensure that you have set up the software correctly. Review all of the procedures in the checklist (some procedures may not be required).

| Step | Task   |
|------|--|
| 1    | Validate upgrade <ol style="list-style-type: none"><li>1. Run <b>cwpostinstall</b> script using the icon located on the desktop</li><li>2. Resolve Microsoft Office license product key issues (if applicable)</li><li>3. Review install logs</li><li>4. Confirm correct Veritas eDiscovery Platform version (on all nodes if cluster environment)</li></ol> |
| 2    | Apply the latest v.10.0 patch (if applicable)  |
| 3    | Verify the Veritas eDiscovery Platform license   |
| 4    | Verify Veritas eDiscovery Platform services started without errors   |
| 5    | Verify system settings   |
| 6    | Verify security settings   |

| Step | Task   |
|------|--|
| 7    | Verify Indexing settings   |
| 8    | Verify custom logo   |
| 9    | Verify Veritas eDiscovery Platform configuration settings  |
| 10   | Verify firewall settings   |
| 11   | Reconfigure LDAP authentication after upgrade  |
| 12   | Reconfigure full node scheduled backup tasks   |
| 13   | Update virus scanning software (if applicable)   |
| 14   | Disable Adobe automatic update   |
| 15   | Verify Clearwell Utility   |
| 16   | Clear browser cache  |
| 17   | Configure Browser Cache Security (Optional)  |
| 18   | Verify Veritas eDiscovery Platform cases   |
| 19   | Run the Imaging Tool Upgrade support feature for all cases created in pre-V10 releases as explained in Perform Imaging Tool Upgrade. |
| 20   | Verify Controlled Prediction Accuracy Test data  |
| 21   | Associate Legal Hold and Collections with upgraded cases   |
| 22   | Verify post-processing success on all cases  |
| 23   | Check for need to run update checksum for emails   |
| 24   | Check for need to run Index Repair   |
| 25   | OST to PST Conversion Libraries  |
| 26   | To use the OST to PST conversion feature, manually install .NET 4.7.2 after upgrading the eDiscovery Platform.                       |

# Post-Upgrade Installation Steps

## Validate Install

- Run the ***cwpostinstall*** script using the icon on the desktop to set the customerID property, to indicate to technical support who is initiating a log upload.
- Microsoft Office Professional Plus 2013 SP1 requires you to enter a valid license product key in order to activate the product. If you do not activate Office2013 SP1 after you install it, the program cannot operate in a fully functional mode. For information on how to activate Office 2013, see Activate Microsoft Office Professional Plus 2013.
- Review the install log to make sure there were no errors encountered. If additional log files need to be reviewed, all the logs for this installation will be located in the `D:\CW\Installer\log\mm-dd-yyyy-hh.mm.ss` directory and the name of the log file is: `cwinstall_mm-dd-yyyy-hh.mm.ss.log`.

If any of the services fail to start after the upgrade (possibly due to invalid username or password entered on the Installation Services tab), then you will get an error indicating which services were not started. Correct the services after the installation to make sure they all start successfully.

**IMPORTANT!** If a reboot is required, the CW services are intentionally not started so you can restart the appliance and then start the upgrade.

- To verify that the correct version of Veritas eDiscovery Platform was installed, log on to Veritas eDiscovery Platform and select **System > Appliances**. Select the appliance and verify that it matches the Product Version 10.0.0.9.0.

## Activate Microsoft Office Professional Plus 2013

After installing the Veritas eDiscovery Platform 10.0, you must activate Office 2013.

---


**Note:** You must obtain and install the Microsoft Office 2013 Service Pack 1 (SP1). For details, see <https://support.microsoft.com/en-us/help/2817430>. After installing Microsoft Office Professional Plus 2013 SP1, please install "Hotfix for Microsoft Outlook 2013 (KB3114941)", which is available at

<https://support.microsoft.com/en-in/help/3114941/april-5-2016-update-for-outlook-2013-kb3114941>.


---

To activate Office 2013:

1. From **Start > All Programs > Microsoft Office 2013**, open Outlook 2013 or any other Microsoft Office 2013 application such as Word. The Microsoft Office Activation Wizard appears. Alternatively, you can run the ***cwpostinstall*** script using the icon on the desktop and then follow the commands.
2. Click **Change Product Key** on the Microsoft Office Activation Wizard.



3. Enter your 25 characters long product key for Microsoft Office and then click **Continue**..




4. Your Office 2013 gets activated.
5. To confirm the activation, open a Word file and then go to **File > Help**. You will see the Office 2013 activation status.

## Validate if Outlook is enabled to connect to Office® 365 using MAPI/HTTP

Starting with 9.0, eDiscovery Platform now connects to Office® 365 using MAPI/HTTP protocol instead of RPC/HTTP. When you install or upgrade to 9.0 or later, the eDiscovery Platform installer installs the KB3114941 updates for Outlook 2013 32-Bit Edition that enables Office® 365 connection using MAPI/HTTP.

It is recommended to validate if the update (KB3114941) is installed before you start collection from Office® 365 mailboxes. To see the installed updates, go to **Control Panel > Programs and Features > View Installed Updates > Search Installed Updates for KB3114941**.



If you do not see the KB3114941 Outlook update installed, download it from <https://www.microsoft.com/en-us/download/details.aspx?id=51720> and then manually install it.

## Apply the Latest 10.0 Patch (if applicable)

After making sure that the appliance is fully operational and all upgrade scripts have been completed, apply the latest 10.0 Patch if applicable.

## Verify the Veritas eDiscovery Platform License

Go to **System > License** to verify your Veritas eDiscovery Platform license. Verify the license type and Evaluation End Date. Contact your Veritas Solution Consultant for any requested license key changes.

## Verify Veritas eDiscovery Platform Services

Check the **Windows > Services** to verify the Veritas eDiscovery Platform services are setup correctly.

|                                    |                  |          |           |                   |
|------------------------------------|------------------|----------|-----------|-------------------|
| EsaApplicationService : FireDaemon | Manages Cl...    | Running  | Automatic | \cwappadmin       |
| EsaClassifierService               | Classifier po... | Running  | Automatic | \cwappadmin       |
| EsaEvCrawlerService                | Manages Cl...    | Running  | Automatic | \cwappadmin       |
| EsaEvRetrieverService              | Manages Cl...    | Running  | Automatic | \cwappadmin       |
| EsaExchangeCrawlerService          | Manages Cl...    | Running  | Automatic | \cwappadmin       |
| EsaExchangeRetrieverService        | Manages Cl...    | Running  | Automatic | \cwappadmin       |
| EsaGCBravaLicenseService           | ClearwellG...    | Running  | Automatic | \Administrator    |
| EsaGCJobProcessor                  | ClearwellG...    | Running  | Automatic | \Administrator    |
| ESAIImageHelper                    | Manages Cl...    | Running  | Automatic | \ESADocImager     |
| EsaNsfCrawlerService               | Manages Cl...    | Running  | Automatic | \cwappadmin       |
| EsaNsfRetrieverService             | Manages Cl...    | Running  | Automatic | \cwappadmin       |
| EsaNkGridAgent                     | Searches ph...   | Disabled | Disabled  | \cwappadmin       |
| EsaNkGridBase                      | Manages da...    | Disabled | Disabled  | \cwappadmin       |
| EsaNkGridGateway                   | Provides th...   | Disabled | Disabled  | \cwappadmin       |
| EsaPrizmApplicationServices        | Runs the Pri...  | Running  | Automatic | \EsaPrizmDocAdmin |
| EsaPrizmDocServer                  | Runs the Pri...  | Running  | Automatic | \EsaPrizmDocAdmin |
| EsaPstCrawlerService               | Manages Cl...    | Running  | Automatic | \cwappadmin       |
| EsaPstRetrieverService             | Manages Cl...    | Running  | Automatic | \cwpstretriever   |

---


**Note:** Make sure that you follow the guidelines described in the Guidelines for Domain User Accounts section.

---

## Verify System Settings

Log on to the Veritas eDiscovery Platform User Interface, then set up the appropriate customer information in the **System > Settings > General** tab. Enter an “Administrator email address”, “SMTP server hostname/IP” and the customer “Support web page URL” (which will appear as the Support link at the bottom of the screen). Add a new account for Windows authentication and/or MBOX/OST to PST file conversion.

**IMPORTANT!** This PST conversion account cannot overlap with any of the existing service account logon credentials and the account must be a member of the Local Administrator group with read and write permissions (or, at a minimum modify permissions) set to access the source data.



The screenshot shows the Veritas eDiscovery Platform user interface. At the top, there is a navigation bar with the Veritas logo and the text "Veritas™ eDiscovery Platform". Below this, there are several tabs: "All Cases", "Select a Case", "All Legal Holds", "All Collections", and "All Processing". A secondary navigation bar includes "Settings", "Users", "Appliances", "Sessions", "Backups", "Directories and Servers", "Known Files", "Jobs", "Schedules", "License", "Logs", and "Support Features". The main content area is titled "General" and contains several configuration fields:

- Administrator email address\***: Input field with "admin@customer.com".
- SMTP server hostname/IP\***: Input field with "mailserver@customer.com".
- SMTP server authentication**: Two input fields labeled "user" and "password".
- Confirmation server hostname/IP**: Input field.
- Auto-recovery**: A checked checkbox labeled "Enable appliance auto-recovery".
- Support web page URL**: Input field with "https://www.veritas.com/content/support/en\_US/dpp.eDiscoveryPlatform".
- Windows authentication for Clearwell appliance**: Two input fields labeled "user" and "password", with a "Change password" button.
- Additional account for mail conversion**: Two input fields.

A "Save" button is located at the bottom left of the form.

## Verify Security Settings

If the system was configured for HTTPS redirection before the 10.0 installation, make sure it is enabled after the upgrade. You can verify the HTTPS redirection setting on the **System > Settings > Security** tab.

**IMPORTANT!** Check the “New user password policy” option. If selected after an upgrade, it will prompt all existing users to change their password. It is also critical to set up a meaningful “User Logon Help Message” text. This is the message that the end users will see on the Logon screen when they click [Need Help?](#) The information should route users to the appropriate Veritas administrator, and *not* to contact Veritas Customer Support.

On the **System > Settings > Security** tab, enter your Lockout message and User Logon Help message. (Check that the **Requires secure connections (HTTPS)** option is enabled).

[Settings](#) | [Users](#) | [Appliances](#) | [Sessions](#) | [Backups](#) | [Directories and Servers](#) | [Known Files](#) | [Jobs](#) | [Schedules](#) | [License](#) | [Logs](#) | [Support Features](#)

General | Locations | Indexing | **Security** | Print | Time & Date | Branding | Legal Hold Authentication

Session timeout (5 - 90 minutes)\*

Minimum password length (8 - 25)\*

Password change interval (0 - 365 days)\*  ⓘ

Failed logins allowed (1 - 5)\*  ⓘ

Lockout message  
Your account has been locked.

User Logon Help Message  
Please contact your eDiscovery Platform administrator for assistance.

No additional text

Email  
Address:   
Text:

Link  
URL:  ⓘ  
Text:

HTTPS  
Errors and warnings  
Browser Cache

Requires secure connections (HTTPS) ⓘ [Connect securely](#)

Show full details ⓘ

Cache Enabled ⓘ


If you are using an SSL imported in your server.keystore, the upgrade should have copied the *server.keystore* file into the new installation directory. If you are still getting security warnings in your browser after the upgrade, you may need to verify the server.keystore was updated correctly.

- Verify that the  
D:\CW\V100\config\templates\tomcat\server.keystore is the correct keystore file you want to use on the server.
- Run Option 7 in the Clearwell Utility to “Build Incremental Configuration Changes”. If using Clearwell Commander, use the **Action > Build Incremental Configuration Changes** option.

For more information, refer to the *System Administration Guide*.


## Verify Indexing Settings

On the **System > Settings > Indexing** tab, optionally setup a directory for customer specific NIST lists. Also, review if Contacts should be enabled by default. Customers may want to index contacts and then exclude them with filtering if not relevant. The Veritas eDiscovery Platform crawler services need to be restarted after making changes to these system-wide security settings. Please note that these case defaults can also be overridden.



## Verify Custom Logo Settings

If the system was configured to use a custom logo before the 10.0 upgrade, then setup the custom branding after the upgrade on the **System > Settings > Branding** tab. Select **Enable branding**. The recommended logo dimensions are shown on the screen.



**Note:** Images must be created (or saved) using RGB color model. Attempting to upload an image in CMYK will cause the following error: "Unsupported File Type"

## Verify Configuration Settings

From the **System > Support** screen, select the **Property Browser** support feature, make sure the primary appliance is selected in Step 2 and then select "Submit".

Review the properties that are returned. Make sure that the *esa.uploader.customerID* property is set to your customer name. Also verify that the location for case backups is setup to an appropriate location.

## Verify Firewall Settings

In Windows, go to **Start > Control Panel > Windows Firewall** to verify and modify settings if needed. If nodes in a cluster are not communicating correctly, then you may want to disable the firewall on all nodes to verify communications. You can do this by going to **Start > Control Panel > Windows Firewall > Turn windows firewall on or off > "Turn off windows firewall (not recommended)"**.

If you are having problems accessing Veritas eDiscovery Platform remotely, verify the Webserver JVM in the Programs and Services list on the Exceptions tab. If access problems persist, contact Veritas Customer Support for steps to disable, reconfigure and then re-enable the Firewall making sure it points to the appropriate Veritas eDiscovery Platform application paths.

## Reconfigure LDAP authentication after upgrade

If your LDAP login fails after the upgrade is complete, perform the following steps to reconfigure the LDAP authentication. Be sure to also read the accompanying note regarding LDAP passwords and encryption:

1. Logon to your appliance as an administrator.
2. From the **System > Support Features** screen, select the **Property Browser** feature.
3. Select **System** from the **Select the case (or system)** list.
4. Enter the following property in the **Name of property to change** field.  
***esa.ldap.connectionPassword***
5. Enter your new values in the **New value (leave blank to remove)** field.
6. Select the **Confirm change. Are you sure?** check box.
7. Click **Submit**.

---

**Note:** If the LDAP password is configured to use encryption using the property ***esa.ldap.connectionPassword.enc***, clear the value for this property (***esa.ldap.connectionPassword.enc***) by executing steps 1 through 7 specifying property ***esa.ldap.connectionPassword.enc*** in step 4 and removing the "New value" field in step 5 by leaving it blank.

A confirmation message about successful removal of the System Property ***esa.ldap.connectionPassword.enc*** appears. The LDAP logins should now work. The system doesn't need a restart.

---

## Reconfigure Full Node Scheduled Backup Tasks

If there are scheduled task in place to perform routine full node backups, verify that they are updated to point to the new *D:\CW\V10* directory. Go to **Start > Settings > Control Panel > Scheduled Tasks** or **Start > Settings > Control Panel > Administrative Tools > Task Scheduler** and review the list of tasks to see if there are any updates needed.

## Update Virus Scanning Software (if applicable)

Be sure to update your virus scanning exclusion rules after the install to account for any changes in folders and directory structure. For more information see "Virus Scanning Guidelines", in the *Veritas e Discovery Platform System Administration Guide*.

**EXCLUDE the following directories:**

### Image Helper

For the Image Helper to work properly, allow access to port 41734.

```
D:\Clearwell Packages\Muhimbi Document Converter
```

### PrizmDoc Service

```
D:\Prizm\Server
```

```
D:\Prizm\PAS
```

### JDK Software

```
C:\jdk-8u251-windows-x32
```

```
C:\jdk-8u251-windows-x64
```

## MySQL Database Software

```
D:\mysql
D:\MySQLData (Clearwell v7.1.4+)
D:\mysqltemp
D:\CW\
```

---

**Note:** D:\CW\

```
D:\CW\\scratch\temp\esadb\attCacheDir\
```

Because you can only exclude directories from a virus scan, move the attachments directory (attCacheDir) to a different location and then update the path. For more information see, the *System Administration Guide*.

---

## Platform Installation

```
D:\CWShared
```

## Rights Management

This directory only exists if you use the Rights Management feature

```
C:\Users\\AppData\Local\Microsoft\DRM
```


## Antivirus Exclusions for Audio Search

By default, the Audio Search software is installed into the following directories and subdirectories. To avoid interference with critical media operations, be sure to disable virus and malware scanning software. In particular, Malwarebytes Anti-Malware, Kaspersky Endpoint Security, and Microsoft Security Essentials are known to interfere with media operations. See (Optional) Setting Up Your System for Audio Processing for directory details.

```
C:\Program Files(86)\Nexidia
C:\Program Files(86)\Nexidia\Language Packs
C:\Program Files\Nexidia\Search Grid 2.0
D:\Nexidia
C:\Users\\AppData\Local\Temp
```

## Disable Adobe Automatic Updates

Disable Adobe Reader automatic updates as follows. Launch Adobe Reader Select **Edit > Preferences > General** and make sure that the “Check for updates” option in the Application startup section is not selected.



## Verify Clearwell Utility

Open the Clearwell Utility (icon on the desktop) and verify the “Current working directory” points to the current Veritas eDiscovery Platform installation directory (for example: *D:\CW\V95*).

As a final verification, upload all logs for Veritas eDiscovery Platform validation. Go to **System > Logs**, enter a Name, and then select Submit leaving the default settings.

## Clear Browser Cache

Your browser's cache stores certain information about the previous version of Veritas eDiscovery Platform. A number of significant changes were made to the user interface from pre-10.0 versions to 10.0. In order to have the application display the new pages properly, you need to clear the browser cache for your browser.

## Configure Browser Cache Security

Browsers maintain a page repository (cache) that is used to expedite the process of retrieving previously viewed pages without sending another request to the server. If a user logs out of the eDiscovery application, it is possible to press the **Back** button to view the previous page of the authenticated user. This view remains visible for just a few seconds before reverting to the login page.

A configuration setting has been added to the Security configuration which can enable or disable browser cache. If disabled, the browser cache (for example, search results) will not be stored and access or retention of sensitive information is prevented during logout. To take advantage of the browser cache security, you must uncheck the cache enabled setting. The default setting is enabled.

**IMPORTANT!** Once the cache is disabled, the browser will require a page refresh (F5) when the **Back** button is used to revisit certain pages (for example, navigating back through search result pages).


For those concerned about the accidental release of information possibly contained in the browser cache during the logout process, you can disable it by unchecking the checkbox for **Cache Enabled**.

1. In the **System** view, click **Settings > Security**.
2. Uncheck the **Cache Enabled** checkbox (checked by default).
3. Click **Save**.

## Verify Veritas eDiscovery Platform Cases

Go to the **All Processing > Processing > Cases** tab, and verify that all the cases that were previously online are still online for access. If there were any upgrade issues with a particular case, it will be listed as unavailable.

**Note:** Cases from prior versions that do not have any case data will show up in All Cases as not fully upgraded, and require you to click on a link to finish upgrading.



| Name                               | Volume   | File Count | Description | Version | Home Appearance | Status  | User Locks |
|------------------------------------|----------|------------|-------------|---------|-----------------|---------|------------|
| ACML_Corp                          | 130.9 MB | 1,021      |             | 7.0     | Clearwell1      | On-line | Enabled    |
| Apple_Test                         | 20.2 MB  | 825        |             | 7.0     | Clearwell1      | On-line | Enabled    |
| Brand_New_Case                     | 12.4 MB  | 493        |             | 7.0     | Clearwell1      | On-line | Enabled    |
| Chambers_Lit                       | 157.4 MB | 1,728      |             | 7.0     | Clearwell1      | On-line | Enabled    |
| HL_Location_Test                   | 121.8 MB | 926        |             | 7.0     | Clearwell1      | On-line | Enabled    |
| Jane_Doe_v._TDCC                   | 83.7 MB  | 767        |             | 7.0     | Clearwell1      | On-line | Enabled    |
| Product_X_Liability_hold<br>_cases | 236.5 MB | 4,017      |             | 7.0     | Clearwell1      | On-line | Enabled    |

## Verify Controlled Prediction Accuracy Test Data

If you have run a Controlled Prediction Accuracy Test for a case in previous release, then after you upgrade to 10.0, you must recreate the initial and additional test sample data for the upgraded cases. For more information on Controlled Prediction Accuracy Test, refer the *Veritas eDiscovery Platform™ Transparent Predictive Coding User Guide*.


## Associating Legal Holds and Collections with 10.0- Upgraded Cases

If you have cases containing Legal Holds and/or Identification and Collection tasks (contained in a collection), these can be associated with a case once upgraded to 10.0. Additionally, the Dashboard (overall view of all cases on the system), Case Home Dashboards (overall view of a specific case), and Data Analytics will reflect the changes brought by the association of the Collections and/or Legal Holds.

For more information on Legal Hold or Collection, see the *Veritas eDiscovery Platform Legal Hold User Guide* and the *Veritas eDiscovery Platform Identification and Collection Guide*.

## Verify Post-Processing Success on all Cases

The upgrade process should have kicked off post-processing in every case after successfully upgrading. You can view the progress of processing jobs on the **System > Jobs** screen. Be sure to select the “System Jobs” Context. Typical post-processing rates are approximately 500,000 documents per hour. Times may vary depending on the specifics of your deployment.



| Last Updated  | User      | Case     | Description   | Status  | Output Size |
|---------------|-----------|----------|---|---------|-------------|
| 08/19 3:00 PM | superuser | (System) | Upgrading case Case_053_Add_Discover_Process_Search | Success | N/A         |
| 08/19 3:00 PM | superuser | (System) | Upgrading case Case_DumsterTestFromOutlook          | Success | N/A         |
| 08/19 2:59 PM | superuser | (System) | Upgrading collections and data map                  | Success | N/A         |

## Update checksum for emails

Deduplication of documents depends on matching checksums. Microsoft Office and Lotus Notes client have altered the way in which they calculate checksums. The result is that from version to version some email documents may not be deduplicated.

For example, Veritas eDiscovery Platform upgraded the version of Microsoft Office in release 8.1. For cases with previously indexed data, new emails indexed since version 8.1 may not deduplicate entirely against the emails already in the case. 9.0 and later provide a feature that allows a system manager (or group manager) access to the “Update Checksum for Emails” feature. This check for “Update Checksum for Emails” should be run before indexing more data.

**IMPORTANT!** After upgrading to 10.0, the System Manager should check to see if there is data needing the checksum update. Go to **System > Support Features** and choose **Update checksum for emails**. Only the cases that appear in the **Select the case** field are affected. The Case Administrator should coordinate the timing of running the “Update Checksum for Emails” feature against the affected cases.

For instructions on how to enable and use this feature, as well as feature background, case qualification criteria, workflow details, and FAQs, see <http://www.veritas.com/docs/000125859>.

## Index Repair

This feature solves an issue in which keyword searches were not accurate for content known to be present in the dataset for PDF, PPT, and Word files, where these files were first level attachments or loose files. Version 8.2 contains a fix for the issue itself, so cases created in 8.2 or greater do not have the problem.

However, the ability to reindex files for a case that already had work in progress, or “reindexing in place”, was required for cases set up and worked in previous versions of the eDiscovery platform. Once such a case is restored, the Repair Index feature allows a user with System Manager or Group Manager role to select Repair Index under **System > Support Features** for that case.

Index repair involves running a scan on each of the cases on a system. It does not need to run immediately after upgrade. Users will be able to index more data after installation, and the new data will not be affected. However, if the following two criteria apply to cases on the system, the data for these cases should be scanned as soon as is practical.

- Cases that could be affected must have been created in an eDiscovery Platform version prior to 8.2. Cases created in version 8.2 or later do not need repair.
- During the case creation Save & Setup Processing step: under **"Configure processing parameters and features"** > **"Hidden, Inserted and Embedded Content"** must have any of the check boxes selected. Case Setup default setting is **"Identify and Extract"** > **"Identify All Hidden Content"** and **"Extract all documents"**. If the default values were used during case setup and there are problems with saved searches, the case is a candidate for Index Repair.

**Note:** Word and PPT files affected, are from Office97 or later.

Contact the Case Administrator for cases that comply with these two points to determine whether case data should be scanned and repaired, and to coordinate timing.

**IMPORTANT!** See tech note 125139 at <https://www.veritas.com/support> for instructions, as well as feature background, case qualification criteria, workflow details, and FAQs.

## OST to PST Conversion Libraries

The upgrade process automatically removes older conversion libraries (such as Datanumen) and replaces them with new OST conversion libraries. This means that if OST conversion was in use prior to the upgrade, the conversion service will continue to function but will use the newly installed library. For more details, see Case Administration Guide.

## Perform Imaging Tool Upgrade

Veritas eDiscovery Platform 10.0 has replaced the imaging tool IGC with a new imaging tool PrizmDoc, which will impact the cases that were created in earlier releases. To retain the ability to restore and use such cases after upgrading eDiscovery Platform appliances to version 10.0, a new support feature, Imaging Tool Upgrade, has been introduced.

If you are using the native viewer in eDiscovery Platform 9.1 or 9.5, you must first upgrade to eDiscovery Platform 10.0 and then use the Imaging Tool Upgrade feature for the existing cases.

---

**Note:** The Imaging Tool Upgrade feature is not available for Case Restore and Node Restore workflows in a fresh installation of eDiscovery Platform 10.0. For disaster recovery scenarios, we recommend users to start from node backup of eDiscovery Platform 9.1 or 9.5 or save a copy of the IGC installer from the “utilities” folder on the eDiscovery Platform 9.1 or 9.5 appliance.

---

You must upgrade a case using the Imaging Tool Upgrade support feature to be able to perform imaging-related operations in that case.

For details, refer to the *Imaging Tool Upgrade Guide*.